

ECE3411 – Fall 2015

Lab 1a.

Introduction to C-Programming

Marten van Dijk, Syed Kamran Haider
Department of Electrical & Computer Engineering
University of Connecticut
Email: {vandijk, syed.haider}@engr.uconn.edu

UConn



Prerequisites

- Eclipse development environment (with C Development Tools) installed
- Basic understanding of C Programming

Task 1: Approximate the value of π

- The value of π can be calculated by the following series expansion

$$1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} + \dots = \frac{\pi}{4} \Rightarrow \sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} = \frac{\pi}{4}$$

- Task 1(a): Write a C program that takes a positive (≥ 0) integer n as input and prints the value of π computed up to the n^{th} term of the above series.
 - E.g. if $n = 3$ then the program computes $\pi = 4 \times \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7}\right)$
- Task 1(b): Modify the program from Task1(a) such that it terminates only when the absolute value of the n^{th} term becomes less than 10^{-6}
 - Implement your own function to compute the absolute value of a `double`
- Task 1(c): Modify the program from Task1(b) such that it terminates only when the relative error in the π values from two consecutive iterations becomes less than 10^{-8} , i.e., when the absolute value of $(\text{pi}-\text{last_pi})/\text{last_pi}$ is less than 10^{-8}
 - The final output should be the π value from the most recent iteration, i.e. one with the higher value of n .

Task 2: Finding Prime Numbers

- A **prime number** (or a **prime**) is a natural number greater than 1 that has no positive divisors other than 1 and itself.
 - E.g. 2, 3, 5, 7, ...
- Task 2: Write a C program which takes an integer as input from the user and prints all the prime numbers (separated by a comma) that are less than the entered number.
 - E.g. if the user inputs “10” then the program should print “2, 3, 5, 7”.